

Конвектор с вентилятором							
Type	Dimensions			Price (EUR)		Features	
	Lenght mm	Height mm	Width mm	Конвектор	Решетка		
COIL-KT110	900	110	303	651.20	110.00		
	1000	110	303	750.20	123.20		
	1250	110	303	851.40	156.20		
	1500	110	303	904.20	182.60		
	1750	110	303	1023.00	211.20		
	2000	110	303	1084.60	242.00		
	2500	110	303	1262.80	301.40		
	3000	110	303	1526.80	363.00		
COIL-KT	900	125	303	651.20	110.00	Most popular type	
	1000	125	303	750.20	123.20		
	1250	125	303	851.40	156.20		
	1500	125	303	904.20	182.60		
	1750	125	303	1023.00	211.20		
	2000	125	303	1084.60	242.00		
	2500	125	303	1262.80	301.40		
	3000	125	303	1526.80	363.00		
COIL-KTW	900	144	420	990.00	110.00	NEW Most powerful type	
	1000	144	420	1025.20	123.20		
	1250	144	420	1170.40	156.20		
	1500	144	420	1251.80	182.60		
	1750	144	420	1432.20	211.20		
	2000	144	420	1575.20	242.00		
COIL-KT0	900	125	106	396.00	110.00	Narrowest type, 106mm	
	1000	125	106	422.40	123.20		
	1250	125	106	495.00	156.20		
	1500	125	106	556.60	182.60		
	1750	125	106	609.40	211.20		
	2000	125	106	664.40	242.00		
	2500	125	106	759.00	301.40		
	3000	125	106	862.40	363.00		
COIL-KT1	900	125	164	453.20	110.00		
	1000	125	164	481.80	123.20		
	1250	125	164	547.80	156.20		
	1500	125	164	609.40	182.60		
	1750	125	164	684.20	211.20		
	2000	125	164	754.60	242.00		
	2500	125	164	895.40	301.40		
	3000	125	164	1005.40	363.00		
COIL-KT2	900	151	380	770.00	110.00		
	1000	151	380	853.60	123.20		

	1250	151	380	954.80	156.20	Additional air inlet
	1500	151	380	1051.60	182.60	
	1750	151	380	1170.40	211.20	
	2000	151	380	1243.00	242.00	
	2500	151	380	1328.80	301.40	
COIL-KT3 105	900	105	243	572.00	110.00	
	1000	105	243	631.40	123.20	
	1250	105	243	723.80	156.20	
	1500	105	243	805.20	182.60	
	1750	105	243	891.00	211.20	
	2000	105	243	932.80	242.00	
	2500	105	243	1082.40	301.40	
	3000	105	243	1161.60	363.00	
COIL-KT3	900	125	243	490.60	110.00	
	1000	125	243	541.20	123.20	
	1250	125	243	631.40	156.20	
	1500	125	243	712.80	182.60	
	1750	125	243	776.60	211.20	
	2000	125	243	838.20	242.00	
	2500	125	243	961.40	301.40	
	3000	125	243	1034.00	363.00	
COIL-KO	900	125	303	728.20	110.00	Wet environment heating
	1000	125	303	842.60	123.20	
	1250	125	303	957.00	156.20	
	1500	125	303	1014.20	182.60	
	1750	125	303	1148.40	211.20	
	2000	125	303	1216.60	242.00	
	2500	125	303	1416.80	301.40	
	3000	125	303	1718.20	363.00	
COIL-KO2	900	151	380	864.60	110.00	Wet environment heating
	1000	151	380	961.40	123.20	
	1250	151	380	1069.20	156.20	
	1500	151	380	1183.60	182.60	
	1750	151	380	1320.00	211.20	
	2000	151	380	1397.00	242.00	
	2500	151	380	1489.40	301.40	
COIL-MT	900	125	303	794.20	110.00	High heating output
	1000	125	303	882.20	123.20	
	1250	125	303	919.60	156.20	
	1500	125	303	972.40	182.60	
	1750	125	303	1102.20	211.20	
	2000	125	303	1177.00	242.00	
	2500	125	303	1271.60	301.40	
	3000	125	303	1557.60	363.00	
COIL-MT2N	900	140	380	794.20	110.00	NEW - coil with two rows of fans
	1000	140	380	882.20	123.20	
	1250	140	380	919.60	156.20	
	1500	140	380	972.40	182.60	
	1750	140	380	1102.20	211.20	
	2000	140	380	1177.00	242.00	

COIL-MO	900	130	303	871.20	110.00	Heating - Cooling, swimming pool heating
	1000	130	303	921.80	123.20	
	1250	130	303	965.80	156.20	
	1500	130	303	1029.60	182.60	
	1750	130	303	1170.40	211.20	
	2000	130	303	1254.00	242.00	
	2500	130	303	1480.60	301.40	
	3000	130	303	1645.60	363.00	
COIL-T50	900	50	161	431.20	110.00	Height only 50mm !!!
	1000	50	161	444.40	123.20	
	1250	50	161	532.40	156.20	
	1500	50	161	591.80	182.60	
	1750	50	161	633.60	211.20	
	2000	50	161	921.80	242.00	
	2500	50	161	1082.40	301.40	
	3000	50	161	1236.40	363.00	
COIL-T60	900	65	243	550.00	110.00	Very limited construction height
	1000	65	243	609.40	123.20	
	1250	65	243	734.80	156.20	
	1500	65	243	853.60	182.60	
	1750	65	243	957.00	211.20	
	2000	65	243	1056.00	242.00	
	2500	65	243	1170.40	301.40	
	3000	65	243	1254.00	363.00	
COIL-T80	900	80	243	550.00	110.00	Limited construction height
	1000	80	243	609.40	123.20	
	1250	80	243	734.80	156.20	
	1500	80	243	853.60	182.60	
	1750	80	243	957.00	211.20	
	2000	80	243	1056.00	242.00	
	2500	80	243	1170.40	301.40	
	3000	80	243	1254.00	363.00	
COIL-TO85	900	85	243	728.20	110.00	Wet environment heating
	1000	85	243	842.60	123.20	
	1250	85	243	957.00	156.20	
	1500	85	243	1014.20	182.60	
	1750	85	243	1148.40	211.20	
	2000	85	243	1216.60	242.00	
	2500	85	243	1416.80	301.40	
	3000	85	243	1718.20	363.00	
COIL-TE	500	125	303	635.80	63.80	Electrical heater 230V
	1000	125	303	776.60	123.20	
	1500	125	303	930.60	182.60	
	2000	125	303	1115.40	242.00	
	2500	125	303	1302.40	301.40	
COIL-HCA	900	110	200	913.00	110.00	NEW Heating - Cooling, 1-
	1000	110	200	954.80	123.20	
	1250	110	200	1016.40	156.20	
	1500	110	200	1100.00	182.60	
	1750	110	200	1225.40	211.20	

	2000	110	200	1306.80	242.00	circuit system
	2500	110	200	1491.60	301.40	
	3000	110	200	1768.80	363.00	
COIL-HC	900	125	243	869.00	110.00	Heating - Cooling, 1-circuit system
	1000	125	243	906.40	123.20	
	1250	125	243	965.80	156.20	
	1500	125	243	1047.20	182.60	
	1750	125	243	1166.00	211.20	
	2000	125	243	1245.20	242.00	
	2500	125	243	1421.20	301.40	
	3000	125	243	1683.00	363.00	
COIL-HC4p	900	132	303	913.00	110.00	Heating - Cooling, 2-circuit system
	1000	132	303	954.80	123.20	
	1250	132	303	1016.40	156.20	
	1500	132	303	1100.00	182.60	
	1750	132	303	1225.40	211.20	
	2000	132	303	1306.80	242.00	
	2500	132	303	1491.60	301.40	
	3000	132	303	1768.80	363.00	
COIL-HCM	900	147	340	1031.80	110.00	Heating - Cooling, 1-circuit system
	1000	147	340	1067.00	123.20	
	1250	147	340	1218.80	156.20	
	1500	147	340	1304.60	182.60	
	1750	147	340	1491.60	211.20	
	2000	147	340	1641.20	242.00	
	2500	147	340	1887.60	301.40	
	3000	147	340	2171.40	363.00	
COIL-HCM-AIR	900	149	356	1084.60	110.00	NEW Heating - Cooling, 1-circuit system, Air spigot
	1000	149	356	1119.80	123.20	
	1250	149	356	1280.40	156.20	
	1500	149	356	1370.60	182.60	
	1750	149	356	1568.60	211.20	
	2000	149	356	1722.60	242.00	
	2500	149	356	1982.20	301.40	
	3000	149	356	2281.40	363.00	
COIL-HCM4p	900	147	340	1075.80	110.00	Heating - Cooling, 2-circuit system
	1000	147	340	1111.00	123.20	
	1250	147	340	1267.20	156.20	
	1500	147	340	1353.00	182.60	
	1750	147	340	1548.80	211.20	
	2000	147	340	1685.20	242.00	
	2500	147	340	1938.20	301.40	
	3000	147	340	2037.20	363.00	
COIL-HCM4p-AIR	900	149	356	1130.80	110.00	Heating - Cooling, 2-circuit system, Air spigot
	1000	149	356	1168.20	123.20	
	1250	149	356	1331.00	156.20	
	1500	149	356	1421.20	182.60	
	1750	149	356	1628.00	211.20	
	2000	149	356	1771.00	242.00	
	2500	149	356	2037.20	301.40	

	3000	149	356	2343.00	363.00	
COIL-SK	556	102	328	539.00		mounted convactor
COIL-KP	900	135	272	759.00		Sill- mounted convactor
	1000	135	272	796.40		
	1250	135	272	965.80		
	1500	135	272	1034.00		

Конвектор без вентилятора						
Type	Dimensions			Price (EUR)		Features
	Lenght mm	Height mm	Width mm	Конвектор	Решетка	
COIL-P80	900	80	243	288 EUR	110 EUR	Limited construction height
	1000	80	243	301 EUR	123 EUR	
	1250	80	243	337 EUR	156 EUR	
	1500	80	243	354 EUR	183 EUR	
	1750	80	243	394 EUR	211 EUR	
	2000	80	243	475 EUR	242 EUR	
	2500	80	243	590 EUR	301 EUR	
	3000	80	243	673 EUR	363 EUR	
COIL-P90/260	900	90	260	288 EUR	110 EUR	NEW Limited construction height
	1000	90	260	301 EUR	123 EUR	
	1250	90	260	337 EUR	156 EUR	
	1500	90	260	354 EUR	183 EUR	
	1750	90	260	394 EUR	211 EUR	
	2000	90	260	475 EUR	242 EUR	
	2500	90	260	590 EUR	301 EUR	
	3000	90	260	673 EUR	363 EUR	
COIL-P	900	125	243	288 EUR	110 EUR	
	1000	125	243	301 EUR	123 EUR	
	1250	125	243	337 EUR	156 EUR	
	1500	125	243	354 EUR	183 EUR	
	1750	125	243	394 EUR	211 EUR	
	2000	125	243	475 EUR	242 EUR	
	2500	125	243	590 EUR	301 EUR	
	3000	125	243	673 EUR	363 EUR	
COIL-PT80	900	80	303	376 EUR	110 EUR	Limited construction height
	1000	80	303	420 EUR	123 EUR	
	1250	80	303	458 EUR	156 EUR	
	1500	80	303	466 EUR	183 EUR	
	1750	80	303	513 EUR	211 EUR	
	2000	80	303	563 EUR	242 EUR	
	2500	80	303	711 EUR	301 EUR	
	3000	80	303	829 EUR	363 EUR	
COIL-PT105	900	105	303	376 EUR	110 EUR	
	1000	105	303	420 EUR	123 EUR	
	1250	105	303	458 EUR	156 EUR	
	1500	105	303	466 EUR	183 EUR	
	1750	105	303	513 EUR	211 EUR	
	2000	105	303	563 EUR	242 EUR	
	2500	105	303	711 EUR	301 EUR	
	3000	105	303	829 EUR	363 EUR	

COIL-PT	900	125	303	376 EUR	110 EUR	PT - most popular type, without fan
	1000	125	303	420 EUR	123 EUR	
	1250	125	303	458 EUR	156 EUR	
	1500	125	303	466 EUR	183 EUR	
	1750	125	303	513 EUR	211 EUR	
	2000	125	303	563 EUR	242 EUR	
	2500	125	303	711 EUR	301 EUR	
	3000	125	303	829 EUR	363 EUR	
COIL-PT/4	900	125	303	427 EUR	110 EUR	4-pipe heat exchanger
	1000	125	303	473 EUR	123 EUR	
	1250	125	303	517 EUR	156 EUR	
	1500	125	303	532 EUR	183 EUR	
	1750	125	303	583 EUR	211 EUR	
	2000	125	303	642 EUR	242 EUR	
	2500	125	303	810 EUR	301 EUR	
	3000	125	303	950 EUR	363 EUR	
COIL-PT180	900	180	303	462 EUR	110 EUR	
	1000	180	303	499 EUR	123 EUR	
	1250	180	303	539 EUR	156 EUR	
	1500	180	303	568 EUR	183 EUR	
	1750	180	303	598 EUR	211 EUR	
	2000	180	303	708 EUR	242 EUR	
	2500	180	303	812 EUR	301 EUR	
	3000	180	303	889 EUR	363 EUR	
COIL-PT300	900	300	303	462 EUR	110 EUR	
	1000	300	303	499 EUR	123 EUR	
	1250	300	303	539 EUR	156 EUR	
	1500	300	303	568 EUR	183 EUR	
	1750	300	303	598 EUR	211 EUR	
	2000	300	303	708 EUR	242 EUR	
	2500	300	303	812 EUR	301 EUR	
	3000	300	303	889 EUR	363 EUR	
COIL-PO	900	125	303	462 EUR	110 EUR	Wet environment heating
	1000	125	303	499 EUR	123 EUR	
	1250	125	303	539 EUR	156 EUR	
	1500	125	303	568 EUR	183 EUR	
	1750	125	303	598 EUR	211 EUR	
	2000	125	303	708 EUR	242 EUR	
	2500	125	303	812 EUR	301 EUR	
	3000	125	303	889 EUR	363 EUR	
COIL-PO/4	900	125	303	535 EUR	110 EUR	Wet environment heating, 4-pipe heat exchanger
	1000	125	303	585 EUR	123 EUR	
	1250	125	303	631 EUR	156 EUR	
	1500	125	303	667 EUR	183 EUR	
	1750	125	303	713 EUR	211 EUR	
	2000	125	303	832 EUR	242 EUR	
	2500	125	303	970 EUR	301 EUR	
	3000	125	303	1,032 EUR	363 EUR	
COIL-PMW90	900	90	420	521 EUR	110 EUR	
	1000	90	420	563 EUR	123 EUR	

	1250	90	420	605 EUR	156 EUR	NEW - reduced price
	1500	90	420	658 EUR	183 EUR	
	1750	90	420	695 EUR	211 EUR	
	2000	90	420	792 EUR	242 EUR	
	2500	90	420	873 EUR	301 EUR	
	3000	90	420	915 EUR	363 EUR	
COIL-PMW115	900	115	420	548 EUR	110 EUR	NEW
	1000	115	420	592 EUR	123 EUR	
	1250	115	420	636 EUR	156 EUR	
	1500	115	420	693 EUR	183 EUR	
	1750	115	420	735 EUR	211 EUR	
	2000	115	420	836 EUR	242 EUR	
	2500	115	420	922 EUR	301 EUR	
	3000	115	420	966 EUR	363 EUR	
COIL-PMW125	900	125	420	548 EUR	110 EUR	
	1000	125	420	592 EUR	123 EUR	
	1250	125	420	636 EUR	156 EUR	
	1500	125	420	693 EUR	183 EUR	
	1750	125	420	735 EUR	211 EUR	
	2000	125	420	836 EUR	242 EUR	
	2500	125	420	922 EUR	301 EUR	
	3000	125	420	966 EUR	363 EUR	
COIL-PMW140	900	140	420	574 EUR	110 EUR	NEW
	1000	140	420	623 EUR	123 EUR	
	1250	140	420	669 EUR	156 EUR	
	1500	140	420	728 EUR	183 EUR	
	1750	140	420	770 EUR	211 EUR	
	2000	140	420	878 EUR	242 EUR	
	2500	140	420	970 EUR	301 EUR	
	3000	140	420	1,014 EUR	363 EUR	
COIL-PMW165	900	165	420	605 EUR	110 EUR	
	1000	165	420	658 EUR	123 EUR	
	1250	165	420	724 EUR	156 EUR	
	1500	165	420	768 EUR	183 EUR	
	1750	165	420	851 EUR	211 EUR	
	2000	165	420	955 EUR	242 EUR	
	2500	165	420	1,076 EUR	301 EUR	
	3000	165	420	1,118 EUR	363 EUR	
COIL-PMW205	900	205	420	605 EUR	110 EUR	Highest heating output, without fan
	1000	205	420	658 EUR	123 EUR	
	1250	205	420	724 EUR	156 EUR	
	1500	205	420	768 EUR	183 EUR	
	1750	205	420	851 EUR	211 EUR	
	2000	205	420	955 EUR	242 EUR	
	2500	205	420	1,076 EUR	301 EUR	
	3000	205	420	1,118 EUR	363 EUR	
Floor convectors without fan - BASIC LINE						
Type	Dimensions			Price (EUR)	Features	
	Lenght mm	Height mm	Width mm			

	*****	*****	*****			
COIL-PB 90	900	90	180	260 EUR	110 EUR	NEW low price, limited height, universal installation
	1000	90	180	271 EUR	123 EUR	
	1250	90	180	304 EUR	156 EUR	
	1500	90	180	319 EUR	183 EUR	
	1750	90	180	354 EUR	211 EUR	
	2000	90	180	429 EUR	242 EUR	
	2500	90	180	530 EUR	301 EUR	
	3000	90	180	605 EUR	363 EUR	
COIL-PB110	900	110	180	268 EUR	110 EUR	NEW low price, limited height, universal installation
	1000	110	180	277 EUR	123 EUR	
	1250	110	180	312 EUR	156 EUR	
	1500	110	180	328 EUR	183 EUR	
	1750	110	180	363 EUR	211 EUR	
	2000	110	180	440 EUR	242 EUR	
	2500	110	180	546 EUR	301 EUR	
	3000	110	180	623 EUR	363 EUR	

Напольные конвекторы					
Type	Dimensions			Price (EUR)	Features
	Lenght mm	Height mm	Width mm		
COIL-SK-1	900	238	156	576 EUR	Self-standing, with fan
	1000	238	156	594 EUR	
	1250	238	156	735 EUR	
	1500	238	156	781 EUR	
	1750	238	156	869 EUR	
	2000	238	156	957 EUR	
COIL-SK-2	900	408	156	662 EUR	Self-standing, with fan
	1000	408	156	735 EUR	
	1250	408	156	878 EUR	
	1500	408	156	992 EUR	
	1750	408	156	1,060 EUR	
	2000	408	156	1,111 EUR	
COIL-SK PTG	1000	308	156	1,384 EUR	Self-standing with fan, with thermoelectric generators
	1250	308	156	1,564 EUR	
	1500	308	156	1,817 EUR	
	1750	308	156	1,918 EUR	
	2000	308	156	2,046 EUR	
COIL-SU-1	900	238	116	273 EUR	Self-standing, without fan
	1000	238	116	295 EUR	
	1250	238	116	332 EUR	
	1500	238	116	372 EUR	
	1750	238	116	396 EUR	
	2000	238	116	427 EUR	
COIL-SU-2	900	408	116	312 EUR	Self-standing, without fan
	1000	408	116	328 EUR	
	1250	408	116	372 EUR	
	1500	408	116	407 EUR	
	1750	408	116	442 EUR	
	2000	408	116	482 EUR	
COIL-SP-0	900	143	156	213 EUR	Self-standing, without fan, very limited construction height
	1000	143	156	222 EUR	
	1250	143	156	257 EUR	
	1500	143	156	295 EUR	
	1750	143	156	328 EUR	
	2000	143	156	363 EUR	
COIL-SP-1/4	900	238	156	273 EUR	Self-standing, without fan
	1000	238	156	295 EUR	
	1250	238	156	332 EUR	
	1500	238	156	372 EUR	

	1750	238	156	396 EUR	
	2000	238	156	427 EUR	
COIL-SP-2/4	900	408	156	312 EUR	Self-standing, without fan
	1000	408	156	328 EUR	
	1250	408	156	372 EUR	
	1500	408	156	407 EUR	
	1750	408	156	442 EUR	
	2000	408	156	482 EUR	
COIL-SW250	900	258	232	519 EUR	Self-standing, without fan
	1000	258	232	546 EUR	
	1250	258	232	605 EUR	
	1500	258	232	675 EUR	
	1750	258	232	726 EUR	
	2000	258	232	761 EUR	
COIL-SW420	900	428	232	543 EUR	Self-standing, without fan
	1000	428	232	572 EUR	
	1250	428	232	634 EUR	
	1500	428	232	708 EUR	
	1750	428	232	761 EUR	
	2000	428	232	801 EUR	
COIL-DP	900	214	176	297 EUR	Wooden case, self- standing, without fan
	1000	214	176	310 EUR	
	1500	214	176	444 EUR	
	2000	214	176	506 EUR	
COIL-LP	1000	435	280	801 EUR	Bench convector, with granite (wooden) desk
	1250	435	280	845 EUR	
	1500	435	280	891 EUR	

Self-standing convectors - NEW FACELIFT

Type	Dimensions			Price (EUR)	Features
	Lenght mm	Height mm	Width mm		
COIL-SKF-1	900	248	150	695 EUR	Self-standing, with fan
	1000	248	150	726 EUR	
	1250	248	150	889 EUR	
	1500	248	150	946 EUR	
	1750	248	150	1,052 EUR	
	2000	248	150	1,157 EUR	
COIL-SKF-2	900	418	150	803 EUR	Self-standing, with fan
	1000	418	150	889 EUR	
	1250	418	150	1,065 EUR	
	1500	418	150	1,201 EUR	
	1750	418	150	1,285 EUR	
	2000	418	150	1,344 EUR	
COIL-SKF-PTG	1000	318	150	1,602 EUR	Self-standing with fan, with thermoelectric generators
	1250	318	150	1,813 EUR	
	1500	318	150	2,103 EUR	
	1750	318	150	2,220 EUR	

	2000	318	150	2,367 EUR	
COIL-SUF-1	900	248	115	317 EUR	Self-standing, without fan
	1000	248	115	343 EUR	
	1250	248	115	385 EUR	
	1500	248	115	431 EUR	
	1750	248	115	458 EUR	
	2000	248	115	497 EUR	
COIL-SUF-2	900	418	115	361 EUR	Self-standing, without fan
	1000	418	115	378 EUR	
	1250	418	115	431 EUR	
	1500	418	115	471 EUR	
	1750	418	115	513 EUR	
	2000	418	115	557 EUR	
COIL-SPF-0	900	148	150	249 EUR	Self-standing, without fan, very limited construction height
	1000	148	150	257 EUR	
	1250	148	150	301 EUR	
	1500	148	150	343 EUR	
	1750	148	150	378 EUR	
	2000	148	150	420 EUR	
COIL-SPF-1	900	248	150	317 EUR	Self-standing, without fan
	1000	248	150	343 EUR	
	1250	248	150	385 EUR	
	1500	248	150	431 EUR	
	1750	248	150	458 EUR	
	2000	248	150	497 EUR	
COIL-SPF-2	900	418	150	361 EUR	Self-standing, without fan
	1000	418	150	378 EUR	
	1250	418	150	431 EUR	
	1500	418	150	471 EUR	
	1750	418	150	513 EUR	
	2000	418	150	557 EUR	
COIL-SMF-1	900	248	195	601 EUR	Self-standing, without fan
	1000	248	195	634 EUR	
	1250	248	195	702 EUR	
	1500	248	195	783 EUR	
	1750	248	195	843 EUR	
	2000	248	195	880 EUR	
COIL-SWF-1	900	248	220	601 EUR	Self-standing, without fan
	1000	248	220	634 EUR	
	1250	248	220	702 EUR	
	1500	248	220	783 EUR	
	1750	248	220	843 EUR	
	2000	248	220	880 EUR	
COIL-SWF-2	900	418	220	631 EUR	Self-standing, without fan
	1000	418	220	664 EUR	
	1250	418	220	735 EUR	
	1500	418	220	818 EUR	
	1750	418	220	880 EUR	
	2000	418	220	928 EUR	
COIL-SWF-3	900	588	220	664 EUR	

	1000	588	220	700 EUR	Self-standing, without fan
	1250	588	220	772 EUR	
	1500	588	220	860 EUR	
	1750	588	220	924 EUR	
	2000	588	220	977 EUR	

Настенные конвекторы					
Type	Dimensions			Price (EUR)	Features
	Lenght mm	Height mm	Width mm		
COIL-NK-1	900	190	156	576 EUR	Wall-mounted with fan
	1000	190	156	594 EUR	
	1250	190	156	735 EUR	
	1500	190	156	781 EUR	
	1750	190	156	869 EUR	
	2000	190	156	957 EUR	
COIL-NK-2	900	348	156	662 EUR	Wall-mounted with fan
	1000	348	156	735 EUR	
	1250	348	156	878 EUR	
	1500	348	156	992 EUR	
	1750	348	156	1,060 EUR	
	2000	348	156	1,111 EUR	
COIL-NK PTG	1000	248	156	1,384 EUR	Wall-mounted with fan, with thermoelectric generators
	1250	248	156	1,564 EUR	
	1500	248	156	1,817 EUR	
	1750	248	156	1,918 EUR	
	2000	248	156	2,046 EUR	
COIL-NU-1	900	178	116	273 EUR	Wall-mounted without fan
	1000	178	116	295 EUR	
	1250	178	116	332 EUR	
	1500	178	116	372 EUR	
	1750	178	116	396 EUR	
	2000	178	116	427 EUR	
COIL-NU-2	900	348	116	312 EUR	Wall-mounted without fan
	1000	348	116	328 EUR	
	1250	348	116	372 EUR	
	1500	348	116	407 EUR	
	1750	348	116	442 EUR	
	2000	348	116	482 EUR	
COIL-NP-1/4	900	178	156	273 EUR	Wall-mounted without fan
	1000	178	156	295 EUR	
	1250	178	156	332 EUR	
	1500	178	156	372 EUR	
	1750	178	156	396 EUR	
	2000	178	156	427 EUR	
COIL-NP-2/4	900	348	156	312 EUR	Wall-mounted without fan
	1000	348	156	328 EUR	
	1250	348	156	372 EUR	
	1500	348	156	407 EUR	

	1750	348	156	442 EUR	
	2000	348	156	482 EUR	
COIL-NW170	900	178	232	519 EUR	Wall-mounted without fan
	1000	178	232	546 EUR	
	1250	178	232	605 EUR	
	1500	178	232	675 EUR	
	1750	178	232	726 EUR	
	2000	178	232	761 EUR	
COIL-NW340	900	348	232	543 EUR	Wall-mounted without fan
	1000	348	232	572 EUR	
	1250	348	232	634 EUR	
	1500	348	232	708 EUR	
	1750	348	232	761 EUR	
	2000	348	232	801 EUR	
KZ 60	900	360	60	1,030 EUR	Built-in convector, front visible panel: wood, stainless steel
	1000	360	60	1,140 EUR	
	1250	360	60	1,245 EUR	
	1500	360	60	1,390 EUR	
	1750	360	60	1,555 EUR	
	2000	360	60	1,676 EUR	
KZ 91	900	360	91	1,195 EUR	Built-in convector, front visible panel: wood, stainless steel
	1000	360	91	1,289 EUR	
	1250	360	91	1,388 EUR	
	1500	360	91	1,555 EUR	
	1750	360	91	1,822 EUR	
	2000	360	91	2,002 EUR	
Wall-mounted convectors - NEW FACELIFTS					
Type	Dimensions			Price (EUR)	Features
	Lenght mm	Height mm	Width mm		
COIL-NKF-1	900	190	150	695 EUR	Wall-mounted with fan
	1000	190	150	726 EUR	
	1250	190	150	889 EUR	
	1500	190	150	946 EUR	
	1750	190	150	1,052 EUR	
	2000	190	150	1,157 EUR	
COIL-NKF-2	900	348	150	803 EUR	Wall-mounted with fan
	1000	348	150	889 EUR	
	1250	348	150	1,065 EUR	
	1500	348	150	1,201 EUR	
	1750	348	150	1,285 EUR	
	2000	348	150	1,344 EUR	
COIL-NKF-PTG	1000	248	150	1,602 EUR	Wall-mounted with fan, with thermoelectric generators
	1250	248	150	1,813 EUR	
	1500	248	150	2,103 EUR	
	1750	248	150	2,220 EUR	
	2000	248	150	2,367 EUR	

COIL-NCA	900	469	156	882 EUR	Wall-mounted with fan, HEATING / COOLING
	1000	469	156	979 EUR	
	1250	469	156	1,170 EUR	
	1500	469	156	1,322 EUR	
	1750	469	156	1,415 EUR	
	2000	469	156	1,481 EUR	
COIL-NCA-4p	900	469	156	928 EUR	Wall-mounted with fan, HEATING / COOLING, 2-cuircuits
	1000	469	156	1,030 EUR	
	1250	469	156	1,230 EUR	
	1500	469	156	1,390 EUR	
	1750	469	156	1,487 EUR	
	2000	469	156	1,555 EUR	
COIL-NUF-1	900	178	115	317 EUR	Wall-mounted without fan
	1000	178	115	343 EUR	
	1250	178	115	385 EUR	
	1500	178	115	431 EUR	
	1750	178	115	458 EUR	
	2000	178	115	497 EUR	
COIL-NUF-2	900	348	115	361 EUR	Wall-mounted without fan
	1000	348	115	378 EUR	
	1250	348	115	431 EUR	
	1500	348	115	471 EUR	
	1750	348	115	513 EUR	
	2000	348	115	557 EUR	
COIL-NPF-1	900	178	150	317 EUR	Wall-mounted without fan
	1000	178	150	343 EUR	
	1250	178	150	385 EUR	
	1500	178	150	431 EUR	
	1750	178	150	458 EUR	
	2000	178	150	497 EUR	
COIL-NPF-2	900	348	150	361 EUR	Wall-mounted without fan
	1000	348	150	378 EUR	
	1250	348	150	431 EUR	
	1500	348	150	471 EUR	
	1750	348	150	513 EUR	
	2000	348	150	557 EUR	
COIL-NMF-1	900	178	195	601 EUR	Wall-mounted without fan
	1000	178	195	634 EUR	
	1250	178	195	702 EUR	
	1500	178	195	783 EUR	
	1750	178	195	843 EUR	
	2000	178	195	880 EUR	
COIL-NWF-1	900	178	220	601 EUR	Wall-mounted without fan
	1000	178	220	634 EUR	
	1250	178	220	702 EUR	
	1500	178	220	783 EUR	
	1750	178	220	843 EUR	
	2000	178	220	880 EUR	

COIL-NWF-2	900	348	220	631 EUR	Wall-mounted without fan
	1000	348	220	664 EUR	
	1250	348	220	735 EUR	
	1500	348	220	818 EUR	
	1750	348	220	880 EUR	
	2000	348	220	928 EUR	
COIL-NWF-3	900	518	220	664 EUR	Wall-mounted without fan
	1000	518	220	700 EUR	
	1250	518	220	772 EUR	
	1500	518	220	860 EUR	
	1750	518	220	924 EUR	
	2000	518	220	977 EUR	

MINIB - Pricelist

Design convectors					
Type	Dimensions			Price (EUR)	Features
	Lenght mm	Height mm	Width mm		
DS 280	1150	280	75	1,144 EUR	Visible granit desk
	1350	280	75	1,258 EUR	
DS 400	1150	400	95	1,192 EUR	Visible granit desk
	1350	400	95	1,302 EUR	
GS 280/2	1000	280	72	631 EUR	Visible glass desk
	1250	280	72	726 EUR	
GS 360/4	1000	360	72	847 EUR	Visible glass desk
	1250	360	72	955 EUR	
GS 480/4	1000	480	72	922 EUR	Visible glass desk
	1250	480	72	1,038 EUR	
PS 280/2	1000	280	72	328 EUR	Visible composite desk
	1250	280	72	370 EUR	
	1500	280	72	438 EUR	
	1750	280	72	488 EUR	
	2000	280	72	546 EUR	
PS 360/4	1000	360	72	422 EUR	Visible composite desk
	1250	360	72	495 EUR	
	1500	360	72	583 EUR	
	1750	360	72	658 EUR	
	2000	360	72	726 EUR	
PS 480/4	1000	480	72	447 EUR	Visible composite desk
	1250	480	72	524 EUR	
	1500	480	72	616 EUR	
	1750	480	72	700 EUR	
	2000	480	72	770 EUR	
ND	1000	500	115	1,608 EUR	Exclusive design - combination of wood and INOX, high heating output
	1250	500	115	1,813 EUR	
	1500	500	115	2,035 EUR	
	1750	500	115	2,209 EUR	
	2000	500	115	2,396 EUR	
SD	1000	270	180	1,782 EUR	Exclusive design - combination of wood and INOX, high heating output
	1250	270	180	2,017 EUR	
	1500	270	180	2,268 EUR	
	1750	270	180	2,495 EUR	

	2000	270	180	2,906 EUR	
--	------	-----	-----	-----------	--

MINIB - Pricelist

Floor convectors without fan						
Type	Dimensions			Price (EUR)		Features
	Lenght mm	Height mm	Width mm	Конвектор	Решетка	
PB90E	900	90	180	194 EUR	110 EUR	Galvanized steel trough, universal orientation
	1000	90	180	207 EUR	123 EUR	
	1250	90	180	233 EUR	156 EUR	
	1500	90	180	249 EUR	183 EUR	
	1750	90	180	275 EUR	211 EUR	
	2000	90	180	317 EUR	242 EUR	
	2500	90	180	389 EUR	301 EUR	
	3000	90	180	444 EUR	363 EUR	
PB110E	900	110	180	207 EUR	110 EUR	Galvanized steel trough, universal orientation
	1000	110	180	218 EUR	123 EUR	
	1250	110	180	235 EUR	156 EUR	
	1500	110	180	260 EUR	183 EUR	
	1750	110	180	288 EUR	211 EUR	
	2000	110	180	339 EUR	242 EUR	
	2500	110	180	420 EUR	301 EUR	
	3000	110	180	495 EUR	363 EUR	
PM90E	900	90	260	235 EUR	110 EUR	Galvanized steel trough, universal orientation
	1000	90	260	251 EUR	123 EUR	
	1250	90	260	271 EUR	156 EUR	
	1500	90	260	295 EUR	183 EUR	
	1750	90	260	330 EUR	211 EUR	
	2000	90	260	370 EUR	242 EUR	
	2500	90	260	453 EUR	301 EUR	
	3000	90	260	532 EUR	363 EUR	
PM110E	900	110	260	279 EUR	110 EUR	Galvanized steel trough, universal orientation
	1000	110	260	293 EUR	123 EUR	
	1250	110	260	328 EUR	156 EUR	
	1500	110	260	348 EUR	183 EUR	
	1750	110	260	387 EUR	211 EUR	
	2000	110	260	429 EUR	242 EUR	
	2500	110	260	515 EUR	301 EUR	
	3000	110	260	601 EUR	363 EUR	
PW90E	900	90	340	345 EUR	110 EUR	Galvanized steel trough, universal orientation
	1000	90	340	361 EUR	123 EUR	
	1250	90	340	385 EUR	156 EUR	
	1500	90	340	411 EUR	183 EUR	
	1750	90	340	440 EUR	211 EUR	
	2000	90	340	491 EUR	242 EUR	
	2500	90	340	609 EUR	301 EUR	

	3000	90	340	741 EUR	363 EUR	Galvanized steel trough, universal orientation
PW110E	900	110	340	361 EUR	110 EUR	
	1000	110	340	389 EUR	123 EUR	
	1250	110	340	440 EUR	156 EUR	
	1500	110	340	480 EUR	183 EUR	
	1750	110	340	532 EUR	211 EUR	
	2000	110	340	590 EUR	242 EUR	
	2500	110	340	708 EUR	301 EUR	
	3000	110	340	805 EUR	363 EUR	

